ORIGINAL

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

OF THE

DEPENDENT RESURVEY OF
A PORTION OF THE SUBDIVISIONAL LINES
AND
THE METES-AND-BOUNDS SURVEY OF THE
NORTH MARICOPA MOUNTAINS WILDERNESS AREA BOUNDARY,
TOWNSHIP 3 SOUTH, RANGE 2 WEST
Of the <u>Gila and Salt River Meridian</u> ,
In the State of Arizona
EXECUTED BY
Olian T. Shockley, Cadastral Surveyor
WALLE TO WELFELD TO THE TOTAL THE TOTAL TO T

Under Special Instructions dated <u>October 21, 1993</u>, approved <u>October 21, 1993</u>, which provided for the surveys included under Group Number <u>762</u> and assignment instructions dated October 22, 1993.

Survey commenced November 22, 1993
Survey completed April 4, 1994

2 BOOK 5480 INDEX DIAGRAM

	TOWNSHIP _	3 SOUTH	, RANGE <u>2 WES</u>	ST	
6	5	4	3	2	1
7		0 9		11	12
18	17	16	15	14	13
19	20	21	22		24
30	29	28	27	5	25
31	32	33	34	35	36

Metes-and-Bounds Survey of NMMWA pp. 13-70

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of the dependent resurvey of a portion of the subdivisional lines and the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, Township 3 South, Range 2 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this dependent resurvey and survey is as follows: The south and west boundaries were surveyed by W. H. Thorn, W. G. Shapcott and W. K. Kierulff in 1915-16. The subdivisional lines were surveyed by W. H. Thorn and W. G. Shapcott in 1916.

The survey was executed in accordance with the specifications as set forth in the <u>Manual of Surveying Instructions</u>, 1973, and the Special Instructions dated October 21, 1993, for Group No. 762, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Lietz Set 2B II total station.

The geographic position of the 1/4 sec. cor. of secs. 20 and 21, as determined from a tie made to U.S. Geological Survey triangulation station "BOW 1936", located in the southwest quarter of section 29, Township 3 South, Range 2 West, is as follows:

Latitude: 33°09'09.39" N. Longitude: 112°28'39.74" W. NAD 27

The mean magnetic declination as taken from quadrangle map MOBILE NW, ARIZ., published in 1973 and photoinspected in 1978 by U.S. Geological Survey, is 13 $1/2^{\circ}$ E.

	,, , , , , , , , , , , , , , , , , , , ,
CHAINS	
	Restoring the survey executed by W. H. Thorn and W. G. Shapcott, in 1916
	Beginning at the cor. of secs. 25, 26, 35 and 36, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T3S R2W S26 S25 S35 S36 1916.
	Add the marks 1993 on the brass cap.
	N. 0°01' E., bet. secs. 25 and 26.
32.41	Point for A.P. 17 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.00	The 1/4 sec. cor. of secs. 25 and 26, monumented with an iron post, 1 in. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. 1/4 S26 S25 1916.
	Add the marks T3S R2W 1993 on the brass cap.
	North, beginning new measurement.
9.44	Point for a witness point at intersection with line 22-23 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 23 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 77°14′ W., 0.44 chs. dist.
16.26	Point for a witness point at intersection with line 24-25 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 24 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 89°30′ W., 0.77 chs. dist.
40.01	The cor. of secs. 23, 24, 25 and 26, monumented with an iron post, 2 ins. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. T3S R2W S23 S24 S26 S25 1916.
	Add the marks 1993 on the brass cap.
	From the 1/4 sec. cor. of secs. 24 and 25, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. S24 1/4 S25 1916.

	1. J 3., 11. 2 w., drie and Salt River Her latent, Al 12011
CHAINS	·
	Add the marks T3S R2W 1993 on the brass cap.
	Cor. is located 80 lks. S. of a wash, 30 lks. wide, 3 ft. deep, drains ESE.
	N. 89°58′ W., bet. secs. 24 and 25.
3.60	Intersect line 28-29 of the North Maricopa Mountains Wilderness Area Bdy., not monumented.
And the second s	From this cor. point, A.P. 29 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 20°41' E., 2.20 chs. dist.
39.99	The cor. of secs. 23, 24, 25 and 26.
	North, bet. secs. 23 and 24.
40.05	The 1/4 sec. cor. of secs. 23 and 24, monumented with an iron post, 1 in. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd. 1/4 S23 S24 1916.
	Add the marks T3S R2W 1993 on the brass cap.
	Cor. is located atop of a narrow, hogback ridge, 500 ft. high, bears irregularly ESE and W.
	N. O°O1' W., beginning new measurement.
40.04	The cor. of secs. 13, 14, 23 and 24, monumented with an iron post, 2 ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. T3S R2W S14 S13 S23 S24 1916.
	Add the marks 1993 on the brass cap.
ŀ	From the cor. of secs. 25, 26, 35 and 36.
	N. 89°52′ W., bet. secs. 26 and 35.
8.27	Point for a witness point at intersection with line 13-14 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 13 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 15°26' W., 5.59 chs. dist.

	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
39.96	The 1/4 sec. cor. of secs. 26 and 35, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. S26 1/4 S35 1916.
	Add the marks T3S R2W 1993 on the brass cap.
	From the 1/4 sec. cor. of secs. 26 and 27, monumented with an iron post, 2 diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. 1/4 S27 S26 1916.
	Add the marks T3S R2W 1993 on the brass cap.
	N. 0°05' E., bet. secs. 26 and 27.
40.00	The cor. of secs. 22, 23, 26 and 27, monumented with an iron post, 2 ins. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. T3S R2W S22 S23 S27 S26 1916.
	Add the marks 1993 on the brass cap.
	From the cor. of secs. 23, 24, 25 and 26.
	N. 89°53' W., bet. secs. 23 and 26.
39.91	The 1/4 sec. cor. of secs. 23 and 26, monumented with an iron post, 1 in. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. 1/4 S23 S26 1916.
	Add the marks T3S R2W 1993 on the brass cap.
	N. 89°52' W., beginning new measurement.
39.90	The cor. of secs. 22, 23, 26 and 27.
	From the cor. of secs. 13, 14, 23 and 24.
	West, bet. secs. 14 and 23.
39.84	The 1/4 sec. cor. of secs. 14 and 23, monumented with an iron post, 1 in. diam., firmly set, projecting 36 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with a mound of stone to the N., 2 ft. base, 2 ft. high, with brass cap mkd. 1/4 S14 S23 1916.
	Add the marks T3S R2W 1994 on the brass cap.

CHAINS	
	Cor. is located in jumbled boulders, on a steep NE slope.
	N. 89°53′ W., beginning new measurement.
15.47	Intersect line 47-48 of the North Maricopa Mountains Wilderness Area Bdy., not monumented.
	From this point, A.P. 48 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 0°44' W., 3.70 chs. dist.
39.86	The cor. of secs. 14, 15, 22 and 23, monumented with an iron post, 2 ins. diam., firmly set, projecting 36 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with a mound of stone to the N., 3 ft. base, 2 ft. high, with brass cap mkd. T3S R2W S15 S14 S22 S23 1916.
	Add the marks 1994 on the brass cap.
	Cor. is located on the steep SE face of a narrow, hogback ridge.
	North, bet. secs. 14 and 15.
28.09	Intersect line 52-53 of the North Maricopa Mountains Wilderness Area Bdy., not monumented.
	From this cor. point, A.P. 52 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 80°21' E., 0.17 chs. dist.
40.07	True point for the 1/4 sec. cor. of secs. 6 and 31, at proportionate dist.; falls on the side of a granite boulder, impracticable to monument.
44.18	The witness 1/4 sec. cor. of secs. 14 and 15, monumented with an iron post, 1 in. diam., firmly set, projecting 36 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with a mound of stone to the W., 2 ft. base, 2 ft. high, with brass cap mkd. 1/4 S15 S14 WC 1916.
	Add the marks T3S R2W 1916 on the brass cap.
	Cor. is located at the bottom of a steep, boulder covered slope, ascending to the top of a narrow, hogback ridge.

,	
CHAINS	
	From the 1/4 sec. cor. of secs. 10 and 15, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with a mound of stone to the N., 2 ft. base, 2 ft. high, with brass cap mkd. S10 1/4 S15 1916.
	Add the marks T3S R2W 1994 on the brass cap.
	N. 89°56′ W., bet. secs. 10 and 15.
37.89	Point for a witness point at intersection with line 57-58 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 57 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 32°46′ E., 11.02 chs. dist.
40.00	The cor. of secs. 9, 10, 15 and 16, monumented with an iron post, 2 ins. diam., firmly set, projecting 28 ins. above ground, in a supporting mound of stone, 4 ft. base to top, with brass cap mkd. T3S R2W S9 S10 S16 S15 1916.
	Add the marks 1994 on the brass cap.
	Cor. is located in jumbled boulders, on the steep SW face of a narrow, hogback ridge, bears SE and NW.
	N. 0°04' W., bet. secs. 9 and 10.
3.29	Point for A.P. 58 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.93	The 1/4 sec. cor. of secs. 9 and 10, monumented with an iron post, 1 in. diam., firmly set, projecting 26 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd. 1/4 S9 S10 1916.
	Add the marks T3S R2W 1994 on the brass cap.
	From the 1/4 sec. cor. of secs. 20 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 13 ins. above ground, with brass cap mkd. 1/4 S20 S21 1916, from which the original bearing tree
	A mesquite, 20 ins. diam., bears S. 69 1/4° W., 150 lks. dist., mkd. BT.
	Add the marks 1994 on the brass cap.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	From this cor. point, U.S. Geological Survey triangulation station "BOW 1936", with published latitude of 33°08'10.35184" N. and longitude of 112°29'34.80895" W., NAD27, bears S. 38°07'36" W., (forward bearing), 114.93 chs. dist., monumented with a standard brass disk, 3 1/2 ins. diam., cemented flush with the top of an iron pipe, 2 ins. diam., in a concrete cylinder, 12 ins. diam., with top of disk mkd. BOW 1936 and a triangle.
	N. 19°34' W., bet. secs. 20 and 21.
26.65	Point for a witness point at intersection with line 86-87 of the

26.65 Point for a witness point at intersection with line 86-87 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.

From this cor. point, A.P. 87 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 30°57′ W., 0.30 chs. dist.

29.73 Point for a witness point at intersection with line 94-95 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.

From this cor. point, A.P. 95 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 33°01′ E., 5.24 chs. dist.

The cor. of secs. 16, 17, 20 and 21, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. T3S R2W S17 S16 S20 S21 1916.

Add the marks 1994 on the brass cap.

From the 1/4 sec. cor. of secs. 16 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 20 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd. S16 1/4 S21 1916, from which the original bearing trees

- A dead and rotted paloverde, lying on the ground, bears S. 66° E., 26 lks. dist., no visible mks.
- A paloverde, 13 ins. diam., bears N. 51° W., 129 lks. dist., mkd. 1/4 S16 BT. (Record: 130 lks.)

Add the marks T3S R2W 1994 on the brass cap.

Cor. is located at the base of a steep, boulder covered SW slope, ascending to a ridge, bears $N_{\rm c}$ and $S_{\rm c}$.

S. 84°38' W., bet. secs. 16 and 21.

,	1. J 3., N. 2 W., G 14 and Sait Niver Meridian, Arizona
CHAINS	
29.50	Point for a witness point at intersection with line 83-84 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 84 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 4°39′ W., 1.15 chs. dist.
44.05	Point for a witness point at intersection with line 95-96 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 96 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 43°35' E., 0.38 chs. dist.
52.71	The cor. of secs. 16, 17, 20 and 21.
	N. 15°34' E., bet. secs. 16 and 17.
30.80	Point for a witness point at intersection with line 100-101 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 100 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 31°30' E., 5.16 chs. dist.
32.65	Point for a witness point at intersection with line 80-81 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 80 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 32°06′ W., 4.30 chs. dist.
46.63	The 1/4 sec. cor. of secs. 16 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with a mound of stone to the W., 2 ft. base, 2 ft. high, with brass cap mkd. 1/4 S17 S16 1916.
	Add the marks T3S R2W 1994 on the brass cap.
	From the cor. of secs. 8, 9, 16 and 17, monumented with an iron post, 2 ins. diam., firmly set, projecting 20 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with a mound of stone to the W., 2 ft. base, 2 ft. high, with brass cap mkd. T3S R2W S8 S9 S17 S16 1916.

CHAINS	
	Add the marks 1994 on the brass cap.
	Cor. is located 130 lks. N. of a wash, 40 lks. wide, 6 ft. deep, drains W.
ļ	N. 0°06' W., bet. secs. 8 and 9.
39.20	Point for A.P. 64 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.96	Point for the 1/4 sec. cor. of secs. 8 and 9, at proportionate dist.; the original witness corner, an iron post, 36 ins. long, 1 in. diam., is lying disturbed nearby, on top of the ground, there is no remaining evidence of the original cor. position.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W
	1/4 S 8 S 9 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 20 lks. N. of a wash, 20 lks. wide, 5 ft. drains NNW.
79.92	The cor. of secs. 4, 5, 8 and 9, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T3S R2W S5 S4 S8 S9 1916.
	Add the marks 1994 on the brass cap.
	From the cor. of secs. 16, 17, 20 and 21.
	N. 79°38′ W., bet. secs. 17 and 20.
28.07	The 1/4 sec. cor. or secs. 17 and 20, monumented with an iron post, 1 in. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. S17 1/4 S20.
	Add the marks T3S R2W 1994 on the brass cap.
	From the cor. of secs. 8, 9, 16 and 17.
	N. 89°52′ W., bet. secs. 8 and 17.

CHAINS	
22.57	Point for A.P. 74 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
24.09	Point for A.P. 106 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.13	The 1/4 sec. cor. of secs. 8 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 15 ins. above ground, with brass cap mkd. S8 1/4 S17 1916.
	Add the marks T3S R2W 1916 on the brass cap.
	Cor. is located 160 lks. W. of a wash, 90 lks. wide, 5 ft. deep, drains N.
	From the cor. of secs. 4, 5, 8 and 9.
	N. 89°51' W., bet. secs. 5 and 8, along the North Maricopa Mountains Wilderness Area Bdy.
40.08	The 1/4 sec. cor. of secs. 5 and 8, monumented with an iron post, 1 in. diam., firmly set, projecting 13 ins. above ground, with brass cap mkd. S5 1/4 S8 1916.
	Add the marks T3S R2W 1994 on the brass cap.
	N. 89°50' W., beginning new measurement.
40.08	The cor. of secs. 5, 6, 7 and 8, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T3S R2W S6 S5 S7 S8 1916.
	Add the marks 1994 on the brass cap.
	N. 89°56' W., bet. secs. 6 and 7, along the North Maricopa Mountains Wilderness Area Bdy.
40.00	The 1/4 sec. cor. of secs. 6 and 7, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. S6 1/4 S7 1916.
	Add the marks T3S R2W 1994 on the brass cap.
	N. 89°50' W., beginning new measurement.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

38.69

The cor. of secs. 1, 6, 7, and 12, on the W. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 18 ins. above ground, with a mound of stone to the W., 5 ft. base, 1 ft. high, with brass cap mkd. T3S R3W R2W S1 S6 S12 S7 1916.

Add the marks 1994 on the brass cap.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2. W., Gila and Salt River Meridian, Arizona

In Sec. 35

From A.P. 1, on line bet. secs. 2 and 35, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, with brass cap mkd. T3S R2W AP1 S35 NMMWA S2 T4S 1994 as described in the field note record of the dependent resurvey of a portion of the north boundary of T. 4 S., R. 2 W., executed concurrently under this same group.

From this cor. point, the 1/4 sec. cor. of secs. 2 and 35, monumented with an iron post, 1 in. diam, firmly set, projecting 4 ins. above ground, with brass cap mkd. T3S R2W S35 1/4 S2 T4S 1993 1916 as described in the field note record of the dependent resurvey of a portion of the north boundary of T. 4 S., R. 2 W., executed concurrently under this same group, bears N. 89°52′ W., 11.38 chs. dist.

N. 32°03' W. on line 1-2 of the North Maricopa Mountains Wilderness Area Bdy.

WSW of a trail road.

3.21 | Point for A.P. 2.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA S35 AP2

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

B00K¹⁴5480

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary,

	North Maricopa Mountains Wilderness Area Boundary,
CHAINS	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
	Cor. is located 45 lks. W. of a trail road, bears ESE and NNW, in curve.
	N. 10°57' W. on line 2-3 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
4.64	Point for A.P. 3.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA S35 AP3
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. W. of a trail road, bears N. and S.
	N. 11°14' E. on line 3-4 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
6.63	Point for A.P. 4.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA \ S35 AP4
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. W. of a trail road, bears NNE and SSE, ir curve.
	N. 9°38' W. on line 4-5 of the North Maricopa Mountains

Wilderness Area Bdy.

15

BOOK 5480 Metes-and-Bounds Survey of the

CHAINE	
CHAINS	
	W. of a trail road.
5.99	Point for A.P. 5.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA / S35 AP5 /
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NNE and S., in curve.
	N. 17°20' E. on line 5-6 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
8.51	Point for A.P. 6.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA S35 AP6
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve.
	N. 39°04' E. on line 6-7 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
14.18	Point for A.P. 7.
	

男のの以 5480 Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary,

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

Co+	-	ctainlace	ctecl	nact	20	400	long	2 1 /2	a de c	el d'am

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA S35 AP7

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. W. of a trail road, bears NNE and SSW.

N. 12°39' E. on line 7-8 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

12.32 | Point for A.P. 8.

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA / S35 AP8

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. W. of a trail road, bears NE and SSW, in curve.

N. 24°03' E. on line 8-9 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

4.63 | Point for A.P. 9.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary,

CHAINS	
	T3S R2W NMMWA AP9 S35
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NNW and SSW, i curve.
	N. 20°50' W. on line 9-10 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
3.45	Point for A.P. 10.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP10 (S35
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NNE and S., ir curve.
	N. 19°32' E. on line 10-11 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
8.76	Point for A.P. 11.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

BOOK 5480

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

T3S R2W NNNWA API1 S35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears N. and SSW, in curve. N. 11°04′ W. on line 11-12 of the North Maricopa Mountains Wilderness Area Bdy. W. of a trail road. Point for A.P. 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R2W NEMWA AP12 S35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.		T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears N. and SSW, in curve. N. 11°04′ W. on line 11-12 of the North Maricopa Mountains Wilderness Area Bdy. W. of a trail road. Point for A.P. 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R2W NNMMAA AP12 S35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 25 ins. long, 2 1/2 ins. diam.,	CHAINS	
Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears N. and SSW, in curve. N. 11°04′ W. on line 11-12 of the North Maricopa Mountains Wilderness Area Bdy. W. of a trail road. 2.36 Point for A.P. 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R2W NMMWA AP12 S35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,	·	NMMWA AP11 S35
N. 11°04′ W. on line 11-12 of the North Maricopa Mountains Wilderness Area Bdy. W. of a trail road. 2.36 Point for A.P. 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R2W NMMWA AP12 S35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath
Wilderness Area Bdy. W. of a trail road. Point for A.P. 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R2W NMMWA AP12 S35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		
Point for A.P. 12. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R2W NMMWA AP12 S35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R2W NMMWA AP12 S35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		W. of a trail road.
24 ins. in the ground, with brass cap mkd. T3S R2W NMMWA AP12 S35 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,	2.36	Point for A.P. 12.
Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		
Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43′ E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		NMMWA /
the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve. N. 34°43' E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		1994
N. 34°43' E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		
Wilderness Area Bdy. WNW of a trail road. 6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		
6.98 Point for A.P. 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		·
Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,		WNW of a trail road.
• • • • • • • • • • • • • • • • • • •	6.98	Point for A.P. 13.
	9 W	,

$800\,\text{K}$ 5480 Metes-and-Bounds Survey of the

CHAINS	(. J 3., A. 2 w., dire and Sait River Mer (dian, A) 120na
	T3S R2W NMMWA AP13 S35
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NNE and SW, in curve.
	N. 15°26' E. on line 13-14 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
5.59	Point for a witness point at intersection with line bet. secs. 26 and 35.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	WP T3S R2W /S26 NMMWA / S35 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 115 lks. W. of a trail road, bears NNE and SSW.
	From this cor. point, the cor. of secs. 25, 26, 35 and 36 bears S. 89°52' E., 8.27 chs. dist., hereinbefore described.
	In Sec. 26
	Continue on line 13-14.
12.02	Point for A.P. 14.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary,

Τ,	3	S.,	R.	2	W.,	Gila	and	Salt	River	Meridian,	Arizona
----	---	-----	----	---	-----	------	-----	------	-------	-----------	---------

	7, 3 3., 10. 2 11., Gille dild Sait Mile Her terail, A izolia
CHAINS	
	T3S R2W NMMWA AP14 S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	N. 10°53' W. on line 14-15 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
7.61	Point for A.P. 15.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP15 S26
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NNE and S., in curve.
	N. 8°52' E. on line 15-16 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
6.15	Point for A.P. 16.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP16 S26

1994

B00K 5480

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary,

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 105 lks. W. of a trail road, bears NE and SSW, in curve.


N. 29°09' E. on line 16-17 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

14.48

Point for A.P. 17, on the line bet. secs. 25 and 26.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 150 lks. W. of a trail road, bears NNE and SW.

From this cor. point, the 1/4 sec. cor. of secs. 25 and 26 bears N. 0°01' E., 7.59 chs. dist., hereinbefore described.

In Sec. 25

N. 41°48' E. on line 17-18 of the North Maricopa Mountains Wilderness Area Bdy.

3.03

Point for A.P. 18.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.



B00K 5480

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

C	н	Ā	ļ	N	4

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. W. of a trail road, bears NE and SSW, in curve.

N. $10^{\circ}14'$ E. on line 18-19 of the North Maricopa Mountains Wilderness Area 8dy.

E. of a wash.

8.83 | Point for A.P. 19.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA AP19 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 40 lks. E. of a wash, 15 lks. wide, 2 ft. deep, drains N., and 230 lks. W. of a trail road, bears NNE and SSW.

N. 12°58' W. on line 19-20 of the North Maricopa Mountains Wilderness Area Bdy.

ENE of a wash.

1.65 | Point for A.P. 20.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA AP2O S25

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, 7 S. B. 2 W. Cila and Salt Bivon Monidian Anizon

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona CHAINS Cor. is located 20 lks. E. of a wash, 15 lks. wide, 2 ft. deep, drains NNE, and 300 lks. W. of a trail road, bears N. and S. N. 29°48' E. on line 20-21 of the North Maricopa Mountains Wilderness Area Bdy. ESE of a wash. 1.55 Point for A.P. 21. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. **T3S R2W** NIMMINA 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 50 lks. E. of a wash, 50 lks. wide, 2 ft. deep, drains N., and 250 lks. W. of a trail road, bears NNE and SSW. N. 20°49' E. on line 21-22 of the North Maricopa Mountains Wilderness Area Bdy. ESE of a wash. 2.20 Point for A.P. 22. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T3S R2W **NIMWA** AP22 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 20 lks. E. of a wash, 5 lks. wide, 1 ft. deep, drains N.

BOOK 5480 Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary,

	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	N. 77°14' W. on line 22-23 of the North Maricopa Mountains Wilderness Area Bdy.
<u> </u>	SSW of Don Tank.
4.89	Point for a witness point at intersection with line bet. secs. 25 and 26.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	WP T3S R2W
	s26 S25
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 115 lks. S. of the S. diversion wing of Don Tank, an earth berm, 25 lks. wide, 2 ft. high, extends NE and SW.
	From this cor. point, the 1/4 sec. cor. of secs. 25 and 26 bears S., 9.44 chs. dist., hereinbefore described.
	In Sec. 26
	Continue on line 22-23.
5.33	Point for A.P. 23.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W
	NMMWA S26
	AP23 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. SW of a fence cor., abandoned barbed wire fences extend N. and SSE.
	Agrico Van Carrent Car

BOOK 5480 Metes-and-Bounds Survey of the

	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	N. 2°56' W. on line 23-24 of the North Maricopa Mountains Wilderness Area Bdy.
6.74	Point for A.P. 24.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP24 S26 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 67 lks. NW of a fence cor., abandoned barbed wire fences extend S. and E.
	S. 89°30' E. on line 24-25 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of Don Tank.
0.77	Point for a witness point at intersection with line bet. secs. 25 and 26.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	WP
	T3S R2W NMMWA
	S26 S25
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	From this cor. point, the cor. of secs. 23, 24, 25 and 26 bears N., 23.75 chs. dist., hereinbefore described.
	In Sec. 25
	Continue on line 24-25.

 $800\,\mbox{K}$ $5\,4\,8\,0$ Metes-and-Bounds Survey of the

CHAINS	1. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
7.68	Point for A.P. 25.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA S25 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. NE of a fence cor., abandoned barbed wire fences extend S. and W.
	S. 8°33' E. on line 25-26 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of Don Tank.
6.04	Point for A.P. 26.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP26 S25 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of the N. diversion wing of Don Tank, an earth berm, 10 lks. wide, 3 ft. high, extends E. and W., and 70 lks. N. of a trail road, bears NE and SW.
	N. 47°58' E. on line 26-27 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
15.34	Point for A.P. 27.

BOOK 5480 Metes-and-Bounds Survey of the

CHAINS	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
	24 ins. in the ground, with brass cap mkd.
	T9S R2W NMMWA /
	AP27 S25
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. N. of a trail road, bears NE and SW.
	N. 49°32' E. on line 27-28 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
19.07	Point for A.P. 28.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA / AP28 / S25
	AP20 J 323
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. W. of a trail road, bears NNE and WSW, in curve.
	N. 20°41' E. on line 28-29 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
7.61	Intersect the line bet. secs. 24 and 25, not monumented.
	From this point, the 1/4 sec. cor. of secs. 24 and 25 bears S. 89°58' E., 3.60 chs. dist., hereinbefore described.
	In Sec. 24

$800\,\mbox{K}$ $54\,80$ Metes-and-Bounds Survey of the

CHAINS	
	Continue on line 28-29.
9.81	Point for A.P. 29.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP29 S24
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears ENE and SSW, in curve.
	N. 46°30' E. on line 29-30 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
4.64	Point for A.P. 30.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R2W
	NMMWA
	AP 30 S24
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 65 lks. W. of a trail road, bears ENE and SSW, in curve.
	N. 60°45' E. on line 30-31 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
8.30	Point for A.P. 31.

B00K²⁹ 54 80

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, 3 S. R. 2 W. Gila and Salt River Meridian. Arizon

	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP31 S24 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of a trail road, bears ENE and W., in curve.
	N. 70°11' E. on line 31-32 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
6.49	Point for A.P. 32.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP32 S24 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of a trail road, bears ENE and WSW.
	N. 43°34' E. on line 32-33 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
5.64	Point for A.P. 33.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

BOOK 5480 Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary,

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

T3S R2W NMMWA AP33 S24 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.

Cor. is located 55 lks. N. of a trail road, bears ENE and SW, in curve.

N. $63^{\circ}01'$ E. on line 33-34 of the North Maricopa Mountains Wilderness Area Bdy.

NNW of a trail road.

4.86 | Point for A.P. 34.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA AP34 S24

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. N. of a trail road, bears NE and WSW., in curve.

N. 40°42' E. on line 34-35 of the North Maricopa Mountains Wilderness Area Bdy.

NW of a trail road.

2.98 | Point for A.P. 35.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

BOOK 5480 Metes-and-Bounds Survey of the

	1. 5 S., R. 2 W., Glia and Sait River Meridian, Arizona
CHAINS	
	T3S R2W
	NMMWA AP35
	S24
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears E. and SSW., in curve.
	N. 74°40' E. on line 35-36 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
2.80	Point for A.P. 36.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	Ţ3S R2W
	NMMWA AP36
	AF-36 \$24
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of a trail road, bears ENE and WSW.
	N. 63°59' W. on line 36-37 of the North Maricopa Mountains Wilderness Area Bdy.
1.10	Toe of hogback ridge, ascend.
3.79	Point for A.P. 37.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, with top mkd.

B00K 54 80

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S.. R. 2 W.. Gila and Salt River Meridian. Arizona

	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T3S R2W S24 AP37 NMMWA 1993
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located at the top of the lowest point of a narrow, hogback ridge, bears SE and NW.
	N. 75°04' W. on line 37-38 of the North Maricopa Mountains Wilderness Area Bdy.
	Ascend along the top of a narrow, hogback ridge.
13.71	Point for A.P. 38.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 2 ft. high, with top mkd.
	T3S R2W S24 AP38 NMMWA 1993
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears SE and NW.
	N. 70°26' W. on line 38-39 of the North Maricopa Mountains Wilderness Area Bdy.
	Ascend along the top of a narrow, hogback ridge.
16.08	Point for A.P. 39.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 2 ft. high, with top mkd.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	T38 R2W
	AP39 NMMWA 1993
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears E. and W.
	S. 82°11' W. on line 39-40 of the North Maricopa Mountains Wilderness Area Bdy.
	Ascend along the top of a narrow, hogback ridge.
8.58	Point for A.P. 40.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 2 X 1 ft. high, with top mkd.
And the second s	T3S R2W S24
	AP40 NMMWA 1993
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly E. and WNW.
	N. 72°14' W. on line 40-41 of the North Maricopa Mountains Wilderness Area Bdy.
	Ascend along the top of a narrow, hogback ridge.
12.03	Point for A.P. 41.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 2 ft. high, with top mkd.

34

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary,

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

r	
CHAINS	
	T3S R2W
	\$24
	AP41
	NMMWA 1993
	1333
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located atop a narrow, hogback ridge, bears ESE and WNW.
	N. 67°35′ W. on line 41-42 of the North Maricopa Mountains Wilderness Area Bdy.
	Ascend along the top of a narrow, hogback ridge.
16.21	A.P. 42, identical with the 1/4 sec. cor. of secs. 23 and 24, hereinbefore described.
	In Sec. 23
	N. 89°58' W. on line 42-43 of the North Maricopa Mountains Wilderness Area Bdy.
	Ascend along the top of a narrow, hogback ridge.
7.68	Point for A.P. 43.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, with top mkd.
	T3S R2W
	S23
	AP43
	AWMM
149	1993
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly E. and NW.

BOOK 5480 Metes-and-Bounds Survey of the

	1. 3 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	N. 44°11' W. on line 43-44 of the North Maricopa Mountains Wilderness Area Bdy.
	Ascend along the top of a narrow, hogback ridge.
11.40	Point for A.P. 44.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on an exposed granite outcrop, with top mkd.
	T3S R2W S23 AP44 NMMWA 1993
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears SE and NW.
	N. 47°31' W. on line 44-45 of the North Maricopa Mountains Wilderness Area Bdy.
	Ascend along the top of a narrow, hogback ridge.
19.44	Point for A.P. 45.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 5 X 3 X 4 ft. high, with top mkd.
•	T3S R2W
	\$23
	AP45
	NMMWA 1993
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly SE and WSW.
	S. 70°03' W. on line 45-46 of the North Maricopa Mountains Wilderness Area Bdy.

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Ascend along the top of a narrow, hogback ridge.
9.14	Point for A.P. 46.
] >> T.4-	
4	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 4 ft. high, with top mkd.
	T3S R2W S23
	AP46
	NMMWA 1993
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly ENE and WNW.
	N. 75°24' W. on line 46-47 of the North Maricopa Mountains Wilderness Area Bdy.
	Ascend along the top of a narrow, hogback ridge.
17.10	Point for A.P. 47.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 3 X 4 ft. high, with top mkd.
	T3S R2W
	S23
	AP47
	NMMVA 1994
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly N. and ESE.
	N. O°44' W. on line 47-48 of the North Maricopa Mountains Wilderness Area Bdy.
	End ascent, continue along the top of a narrow, hogback ridge.

B00K 5480

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

	1. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
17.57	Intersection the line bet. secs. 14 and 23, not monumented.
	From this point, the 1/4 sec. cor. of secs. 14 and 23 bears S. 89°53' E., 15.47 chs. dist., hereinbefore described.
	In Sec. 14
	Continue on line 47-48.
21.27	Point for A.P. 48.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 2 ft. high, with top mkd.
	T3S R2W S14 AP48 NMMWA 1994
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly S. and W.
	N. 79°24' W. on line 48-49 of the North Maricopa Mountains Wilderness Area Bdy.
	Along the top of a narrow, hogback ridge.
20.70	Point for A.P. 49.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 2 ft. high, with top mkd.
	T3S R2W S14 AP49 NMMWA 1994
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
1	

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary.

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly E. and NW.

N. 37°49' W. on line 49-50 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a narrow, hogback ridge.

3.70 | Point for A.P. 50.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 2 X 2 X 2 ft. high, with top mkd.

T3S R2W S14 AP50 NMMWA 1994

Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.

Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly SE and N.

N. 1°22 $^{\prime}$ E. on line 50-51 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a narrow, hogback ridge.

16.20 Point for A.P. 51.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 1 ft. high, with top mkd.



Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian. Arizona

	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly S. and NW.
	N. 52°38' W. on line 51-52 of the North Maricopa Mountains Wilderness Area Bdy.
	Along the top of a narrow, hogback ridge.
2.46	Point for A.P. 52.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 2 ft. high, with top mkd.
	T3S R2W S14 AP52 NMMWA 1994
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly SE and W.
	N. 80°21' W. on line 52-53 of the North Maricopa Mountains Wilderness Area Bdy.
	Along the top of a narrow, hogback ridge.
0.17	Intersect the line bet. secs. 14 and 15, not monumented.
	From this point, the 1/4 sec. cor. of secs. 14 and 15 bears N., 11.98 chs. dist., hereinbefore described.
	In Sec. 15
	Continuing on line 52-53, beginning new measurement.
28.23	Point for A.P. 53.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 4 X 4 ft. high, with top mkd.

Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary,

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

T3S R2W S15 AP53 NMMWA 1994

Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.

Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly E. and N.

N. 9°33' W. on line 53-54 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a narrow, hogback ridge.

12.79 Point for A.P. 54.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on an exposed granite outcrop, with top mkd.



Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.

Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly S. and WNW.

N. 63°58' W. on line 54-55 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a narrow, hogback ridge.

13.28

Point for A.P. 55.

Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on an exposed granite outcrop, 4 X 3 X 1 ft. high, with top mkd.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

	1. 5 5., R. Z R., Glia and Salt River Melidian, Alizona
CHAINS	
	T3S R2W S15 AP55 NMMWA 1994
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly ESE and NNW.
	N. 32°36′ W. on line 55-56 of the North Maricopa Mountains Wilderness Area Bdy.
	Along the top of a narrow, hogback ridge.
12.71	Point for A.P. 56.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 8 X 4 X 4 ft. high, with top mkd.
	T3S R2W S15 AP56 NMMWA 1994
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located atop a narrow, hogback ridge, bears irregularly SSE and WNW.
	N. 68°58' W. on line 56-57 of the North Maricopa Mountains Wilderness Area Bdy.
	Along the top of a narrow, hogback ridge.
25.10	Point for A.P. 57.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 6 X 3 X 4 ft. high, with top mkd.

North Maricopa Mountains Wilderness Area Boundary,

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona	Ŧ.	3	S.,	R.	2	₩.,	Gila	and	Salt	River	Meridian,	Arizona
---	----	---	-----	----	---	-----	------	-----	------	-------	-----------	---------

T3S R2W **NMMWA** 1994

Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.


Cor. is located atop a narrow, hogback ridge, bears irregularly E. and NNW.

N. 32°46' W. on line 57-58 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a narrow, hogback ridge.

11.02 Point for a witness point at intersection with line bet. secs. 10 and 15.

> Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 ins. White plastic case beneath the stainless steel post.

Cor. is located atop a narrow, hogback ridge, bears SSE and NNW.

From this cor. point, the cor. of secs. 9, 10, 15 and 16 bears N. 89°56′ W., 2.11 chs. dist., hereinbefore described.

In Sec. 10

Continue on line 57-58.

14.94 Point for A.P. 58, on line bet. secs. 9 and 10.

> Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd.

CHAINS

Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

T3S R2W S9 S10 AP58 NMMWA 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

from which

A brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 3 ft. high, for a reference monument, bears N. 32°45′ W., 15.1 ft. dist., with cap mkd. T3S R2W RM 15.1 FT TO COR AP58 1994, and an arrow pointing to the cor. Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.

Cor. is located atop a narrow, hogback ridge, bears irregularly SSE and WNW.

From this cor. point, the cor. of secs. 9, 10, 15 and 16 bears S. 0°04' E., 3.29 chs. dist., hereinbefore described.

In Sec. 9

N. 58°35' W. on line 58-59 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a narrow, hogback ridge.

18.46

Point for A.P. 59.

Set a brass tablet. 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, with top mkd.

T3S R2W S9 AP59 NMMWA 1994

Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.

North Maricopa Mountains Wilderness Area Boundary,

					•						
Τ.	3	S.,	₽.	2	₩.,	Gila	and	Salt	River	Meridian,	Arizona

CHAINS	
	Cor. is located atop a narrow, hogback ridge, bears irregularly ESE and NW.
	N. 36°25' W. on line 59-60 of the North Maricopa Mountains Wilderness Area Bdy.
	Begin descent, continue along the top of a narrow, hogback ridge.
24.54	Point for A.P. 60.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 5 X 3 X 2 ft. high, with top mkd.
	T3S R2W
	\$9
<u> </u> 	AP60 NMMWA
į	1994
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly SE and W.
	S. 87°21' W. on line 60-61 of the Morth Maricopa Mountains Wilderness Area Bdy.
i	Along the top of a ridge.
12.46	Point for A.P. 61.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 10 X 8 X 6 ft. high, with top mkd.
	T3S R2W S9
	AP61 NMMWA 1994
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona


	1. 3 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	N. 80°09' W. on line 61-62 of the North Maricopa Mountains Wilderness Area Bdy.
	Along the top of a ridge.
19.75	Point for A.P. 62.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a conglomerate boulder, 3 X 3 X 2 ft. high, with top mkd.
	T3S R2W S9
	AP62 NMMWA 1994
	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	N. 71°01' W. on line 62-63 of the North Maricopa Mountains Wilderness Area Bdy.
	Descend along the top of a ridge.
16.68	Point for A.P. 63.
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 6 X 3 X 8 ft. high, with top mkd.
	T3S_R2W
	\$9
	AP63
	NMMWA 1994
*	Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.
	Cor. is located on top of a small prominent hill.
	S. 51°57' W. on line 63-64 of the North Maricopa Mountains Wilderness Area Bdy.
2.44	Point for A.P. 64, on line bet. secs. 8 and 9.

North Maricopa Mountains Wilderness Area Boundary,

T. 3 S., R. 2 W., Gila and Salt River Meridian. Arizona

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 35 lks. W. of a wash, 15 lks. wide, 3 ft. deep, drains NNW.

From this cor. point, the 1/4 sec. cor. of secs. 8 and 9 bears N. 0°06' W., 0.76 chs. dist., hereinbefore described.

In Sec. 8

N. 39°42' W. on line 64-65 of the North Maricopa Mountains Wilderness Area Bdy.

SW of a wash.

3.02

Point for A.P. 65.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. W. of a wash, 30 lks. wide, 5 ft. deep, drains NNW.

N. 11°53' W. on line 65-66 of the North Maricopa Mountains Wilderness Area Bdy.

WSW of a wash.

B00K 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
4.72	Point for A.P. 66.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP66 S8 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 35 lks. W. of a wash, 30 lks. wide, 6 ft. deep, drains N.
	N. 6°39' W. on line 66-67 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a wash.
8.61	Point for A.P. 67.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP67 S8
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. W. of a wash, 35 lks. wide, 5 ft. deep, drains NNW.
	N. 12°13' W. on line 67-68 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a wash.
8.77	Point for A.P. 68.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

B00K 5480

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS T3S R2W SS **NMMWA** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 35 lks. W. of a wash, 15 lks. wide, 2 ft. deep, drains N., and 75 lks. E. of a trail road, bears NNE and SSW. S. 23°26' W. on line 68-69 of the North Maricopa Mountains Wilderness Area Bdy. ESE of a trail road. Point for A.P. 69. 3.75 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R2W INMMWA Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 70 lks. E. of a trail road, bears ENE and SSW, in curve. S. 31°44' W. on line 69-70 of the North Maricopa Mountains Wilderness Area Bdy. ESE of a trail road. 12.43 Point for A.P. 70. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

T3S R2W
/MMWA
22 / 1272

1994

Deposit a magnet in a 1 \times 1 \times 2 ins, white plastic case beneath the stainless steel post.

Cor. is located 80 lks. E. of a trail road, bears N. and S.

S. 4°57′ W. on line 70-71 of the Morth Maricopa Mountains Wilderness Area Bdy.

E. of a trail road.

9.36 | Point for A.P. 71.

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R2W
S8 AP71
NMMWA

Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 75 lks. E. of a trail road, bears N. and S.

S. 7°32' W. on line 71-72 of the North Maricopa Mountains Wilderness Area Bdy.

E. of a trail road.

11.81 | Point for A.P. 72.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

$$800\,\mbox{K}$$ $54\,80$ Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary.

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	T3S R2W
	ss /AP72
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
	S. 8°23' W. on line 72-73 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
13.61	Point for A.P. 73.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T3S R2W
	S8 AP73 NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
	S. 16°37' W. on line 73-74 of the North Maricopa Mountains Wilderness Area Bdy.
	ESE of a trail road.
15.34	Point for A.P. 74, on line bet. secs. 8 and 17.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

North Maricopa Mountains Wilderness Area Boundary,

T.	3	S.,	R.	2	₩.,	Gila	and	Salt	River	Meridian,	Arizona

CHAINS	
	T3S R2W S8 /
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
ž į	From this cor. point, the cor. of secs. 8, 9, 16 and 17 bears S. 89° 52' E., 22.57 chs. dist., hereinbefore described.
	In Sec. 17
	S. 7°47' W. on line 74-75 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
11.91	Point for A.P. 75.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.
	T3S R2W
	S17 AP75 NMMWA 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
	S. 19°31' E. on line 75-76 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
15.96	Point for A.P. 76.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

B00K 54 80

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	11 J Grant E Arra Grant date Never Net to taking Al (2010)
	T3S R2W
	S17 \ AP76 \ NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
	S. 18°22' E. on line 76-77 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
12.88	Point for A.P. 77.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA S17 AP77
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. E. of a trail road, bears N. and S., and 135 lks. N. of a wash, 65 lks. wide, 7 ft. deep, drains WNW.
	S. 24°23' E. on line 77-78 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
3.15	Point for A.P. 78.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T35 R2W
	S17 NMMWA AP78
	1994
	4.37°

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

Deposit a magnet in a $1 \times 1 \times 2$ ins. White plastic case beneath the stainless steel post.


Cor. is located 80 lks. E. of a trail road, bears SSE and NNW.

S. 47°12' E. on line 78-79 of the North Maricopa Mountains Wilderness Area Bdv.

NE of a trail road.

6.03 Point for A.P. 79.

> Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.


Cor. is located 135 lks. E. of a trail road, bears SSE and NNW.

S. 38°10' E. on line 79-80 of the North Maricopa Mountains Wilderness Area Bdy.

NE of a trail road.

4.88 Point for A.P. 80.

> Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 ins. White plastic case beneath the stainless steel post.

Cor. is located 75 lks. E. of a trail road, bears N. and S.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	S. 32°06' E. on line 80-81 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
4.30	Point for a witness point at intersection with line bet. secs. 16 and 17.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	WP T3S R2W NMMWA \ S16
	S17 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	From this cor. point, the 1/4 sec. cor. of secs. 16 and 17 bears N. 15°34' E., 13.98 chs. dist., hereinbefore described.
	In Sec. 16
	In Sec. 16 Continue on line 80-81.
10.88	
10.88	Continue on line 80-81.
10.88	Continue on line 80-81. Point for A.P. 81. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
10.88	Continue on line 80-81. Point for A.P. 81. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. T3S R2W NMMWA
10.88	Continue on line 80-81. Point for A.P. 81. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. T3S R2W NMMWA S16 AP81
10.88	Continue on line 80-81. Point for A.P. 81. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. $T3S R2W \\ NMMWA \\ S16 \\ AP81$ 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath
10.88	Continue on line 80-81. Point for A.P. 81. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. $ \begin{array}{c} $

North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

	1. 3 5., R. 2 W., Gila and Salt River Mendian, Arizona
CHAINS	
9.40	Point for A.P. 82.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA S16 AP82
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
	S. 32°18' E. on line 82-83 of the North Maricopa Mountains Wilderness Area Bdy.
	ENE of a trail road.
14.64	Point for A.P. 83.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA S16 AP83
	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. E. of a trail road, bears N. and S.
	S. 4°39' W. on line 83-84 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
2.52	Point for a witness point at intersection with line bet. secs. 16 and 21.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

-	HA	4 11	NT.	c
•	n.	٦I.	L N	0

WP T3S R2W S16/ NMMWA S21/ 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

From this cor. point, the 1/4 sec. cor. of secs. 16 and 21 bears N. 84°38' E., 29.50 chs. dist., hereinbefore described.

In Sec. 21

Continue on line 83-84.

3.67 | Point for A.P. 84.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA S21 AP84

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 25 lks. E. of a trail road, bears N. and S.

S. 67°51' W. on line 84-85 of the North Maricopa Mountains Wilderness Area Bdy.

WSW of a trail road.

3.66 Point for A.P. 85.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.

T3S R2W S21 NMMWA AP85 1994

North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 75 lks. S. of a trail road, bears E. and W.

S. 89°04' W. on line 85-86 of the North Maricopa Mountains Wilderness Area Bdy.

S. of a trail road.

10.47 Point for A.P. 86.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.

T3S R2W S21 NMMWA AP86 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 95 lks. S. of a trail road, bears E. and W.

S. $30^{\circ}57'$ W. on line 86-87 of the North Maricopa Mountains Wilderness Area Bdy.

ESE of a trail road.

10.95 Point for a witness point at intersection with line bet. secs. 20 and 21.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R2W S20 | S21 NMMWA 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 150 lks. S. of a trail road, bears NNE and SSW.

Metes-and-Bounds Survey of the

North Maricona Mountains Wilderness Area Boundary

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizon		1401	ALC: F	1.41.4	1000	7,7	1300111	u 1113	W : EU	G1 11G22	Alea Doui	iciai y,	
the state of the s	1,	, 3	S.,	R.	2 W	.,	Gila	and	Salt	River	Meridian,	Arizona	l

CHAINS	
	From this cor. point, the 1/4 sec. cor. of secs. 20 and 21 bears S. 19°34' E., 26.65 chs. dist., hereinbefore described.
	In Sec. 20
	Continue on line 86-87.
11.25	Point for A.P. 87.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W S2O NMMWA AP87 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 118 lks. S. of a trail road, bears NNE and SSW.
	S. 43°11' W. on line 87-88 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
3.66	Point for A.P. 88.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W
	S20 NMMWA

S20 NMMWA AP88 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 75 lks. E. of a trail road, bears SSE and NNW.

S. 3°02' W. on line 88-89 of the North Maricopa Mountains Wilderness Area Bdy.

E, of a trail road.

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian. Arizona

CHAINS	
3.41	Point for A.P. 89.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA S2O AP89
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. E. of a trail road, bears NNE and SSW.
	N. 88°11' E. on line 89-90 of the North Maricopa Mountains Wilderness Area Bdy.
3.03	Point for A.P. 90.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP90 S20 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
	Cor. is located 20 lks. S. of a wash, 15 lks. wide, 3 ft. deep, drains WNW.
	S. 17°35' W. on line 90-91 of the North Maricopa Mountains Wilderness Area Bdy.
3.79	Point for A.P. 91.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.

North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	T3S R2W S2O /NMMWA AP91
	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	S. 77°34' W. on line 91-92 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of Don Tank.
14.36	Point for A.P. 92.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA / S2O AP92
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 35 lks. S. of the S. diversion wing of Don Tank, an earth berm, 24 lks. wide, 3 ft. high, extends ENE and WSW.
	N. 11°55' E. on line 92-93 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of Don Tank.
10.21	Point for A.P. 93.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP93 / S20
	/ 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.
14.36	Wilderness Area Bdy. SSE of Don Tank. Point for A.P. 92. Set a stainless steel post, 23 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R2W NMMMA S2O AP92 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneat the stainless steel post. Cor. is located 35 lks. S. of the S. diversion wing of Don Tan an earth berm, 24 lks. wide, 3 ft. high, extends ENE and WSW. N. 11°55′ E. on line 92-93 of the North Maricopa Mountains Wilderness Area Bdy. WNW of Don Tank. Point for A.P. 93. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T3S R2W NMMWA AP93 S2O 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneat

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary.

	North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Cor. is located 50 lks. NW of the cor. of barbed wire fences, 7 strands, extend ENE and S.
	N. 82°46' E. on line 93-94 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of Don Tank.
8.84	Point for A.P. 94.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA / AP94 S2O
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears NE and SW.
	N. 33°01' E. on line 94-95 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
5.63	Point for a witness point at intersection with line bet. secs. 20 and 21.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S_R2W
	MP NAMA
	\$20 \$21 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 300 lks. N. of a trail road, bears NE and WSW.

BOOK 5480

Metes-and-Bounds Survey of the icone Mountains Wilderness Area Boundary

	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	From this cor. point, the cor. of secs. 16, 17, 20 and 21 bears N. 19°34' W., 7.45 chs. dist., hereinbefore described.
	In Sec. 21
	Continue on line 94-95.
10.87	Point for A.P. 95.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, encircled with a collar of stone, with brass cap mkd.
	T3S R2W
	NAMWA / AP95 / S21
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. N. of a trail road, bears NNE and SSW.
	N. 43°35' E. on line 95-96 of the North Maricopa Mountains Wilderness Area Bdy.
4.75	Point for a witness point at intersection with line bet. secs. 16 and 21.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	WP
	T3S R2W /S16
	NMMWA———————————————————————————————————
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	From this cor. point, the cor. of secs. 16, 17, 20 and 21 bears S. 84°38' W., 8.66 chs. dist., hereinbefore described.
	In Sec. 16
I	

North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

	1. 3 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	Continue on line 95-96.
5.13	Point for A.P. 96.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP96
	\$16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. N. of a trail road, bears ENE and SW, in curve.
	N. 85°28' E. on line 96-97 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a trail road.
13.13	Point for A.P. 97.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP97 S16
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. W. of a trail road, bears N. and SSW, in curve.
	N. 34°57' W. on line 97-98 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
12.14	Point for A.P. 98.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA AP98 S16

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 90 lks. W. of a trail road, bears NE and SW.

N. 14°03' W. on line 98-99 of the North Maricopa Mountains Wilderness Area Bdy.

WSW of a trail road.

4.24 Point for A.P. 99.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA\ AP99\S16

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 75 lks. W. of a trail road, bears N. and S.

N. 18°30' W. on line 99-100 of the North Maricopa Mountains Wilderness Area Bdy.

WSW of a trail road.

9.58 Point for A.P. 100.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	T3S R2W NMMWA AP100 S16 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears NE and SW.
	N. 31°30' W. on line 100-101 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
5.16	Point for a witness point at intersection with line bet. secs. 15 and 17.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	WP T3S R2W S16
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. W. of a trail road, bears SSE and NNW.
	From this cor. point, the cor. of secs. 16, 17, 20 and 21 bears S. 15°34' W., 30.80 chs. dist., hereinbefore described.
	In Sec. 17
	Continue on line 100-101.
11.48	Point for A.P. 101.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

B00K 5480

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

,	T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T3S R2W NMMWA AP101 S17
	Deposit a magnet in a 1 $ imes$ 1 $ imes$ 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears N. and S.
	N. 45°11' W. on line 101-102 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
10.13	Point for A.P. 102.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP102 S17
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. W. of a trail road, bears SE and NW.
	N. 24°10' W. on line 102-103 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
4.67	Point for A.P. 103.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP103 S17
	1994
-	

BOOK 5480 Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary,

	North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
•	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. W. of a trail road, bears SSE and NNW.
	N. 19°49' W. on line 103-104 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
16.67	Point for A.P. 104.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP104 \S17
	1994`
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears SSE and NNW.
	N. 17°01' W. on line 104-105 of the North Maricopa Mountains Wilderness Area Bdy.
	WSW of a trail road.
11.54	Point for A.P. 105.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA AP105 (S17
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears N. and S.

North Maricopa Mountains Wilderness Area Boundary,

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

1	
CHAINS	
	N. 7°48' E. on line 105-106 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
12.89	Point for A.P. 105, on line bet. secs. 8 and 17.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA / S8 AP106————————————————————————————————————
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears N. and S.
2	From this cor. point, the 1/4 sec. cor. of secs. 8 and 17 bears N. 89°52' W., 16.04 chs. dist., hereinbefore described.
	In Sec. 8
	N. 11°50' E. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy.
	N. 11°50' E. on line 106-107 of the North Maricopa Mountains
25.76	N. 11°50' E. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy.
25.76	N. 11°50' E. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road.
25.76	N. 11°50' E. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. Point for A.P. 107. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
25.76	N. 11°50' E. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. Point for A.P. 107. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd. T3S R2W NMMWA/ S8
25.76	N. 11°50' E. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. Point for A.P. 107. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd. T3S R2W NMMWA/ S8 AP107
25.76	N. 11°50′ E. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. Point for A.P. 107. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd. T3S R2W NMMWA/ NMMWA/ S8 AP107/ 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath

North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

	1. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	·
	N. 9°59' E. on line 107-108 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
14.94	Point for A.P. 108.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W NMMWA / S8 AP108
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears N. and S.
	N. 5°56' E. on line 108-109 of the North Maricopa Mountains Wilderness Area Bdy.
}	W. of a trail road.
10.04	Point for A.P. 109.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T3S R2W
	NMMWA/ S8 AP109
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. W. of a trail road, bears N. and S.
	N. 29°48' E. on line 109-110 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
12.21	Point for A.P. 110.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CH	A	IN	ç
C.T.			~

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T3S R2W NMMWA /S8 AP110 /

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 135 lks. W. of a trail road, bears N. and S.

N. 20°31' E. on line 110-111 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

11.07

Point for A.P. 111.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. White plastic case beneath the stainless steel post.

Cor. is located 50 lks. W. of a trail road, bears NNE and SSW.

N. 29°32' E. on line 111-112 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

10.33

A.P. 112, identical with the cor. of secs. 4, 5, 8 and 9, hereinbefore described.

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

GENERAL DESCRIPTION

The land encompassed in this survey is located approximately 36 miles southwest of Phoenix, Arizona and approximately 21 miles northeast of Gila Bend, Arizona. The general elevation is 1200 feet above sea level. An 800 ft. high ridge passes through sections 9, 14, 15, 23 and 24. The land varies from mountainous to flat and gently rolling, broken with numerous dry washes and drains. The vegetation consists of paloverde, ironwood, cactus, creosote, and sparse native grasses.

Primary access is by way of United States Highway 80. Secondary access is by way of a natural gas pipeline maintenance road through sections 4, 9, 10 and 14, and numerous unimproved trail roads.

Description of the North Maricopa Mountains Wilderness Area Bdy. T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

The following is for informational purposes only.

Beginning at Angle Point 1, on the line bet. secs. 2 and 35, on the S. bdy. of the Tp;

```
thence N. 32°03′ W.,
                      3.21 chs. dist. to Angle Point 2;
thence N. 10°57' W., 4.64 chs. dist. to Angle Point 3;
thence N. 11°14' E., 6.53 chs. dist. to Angle Point 4;
thence N. 9°38' W., 5.99 chs. dist. to Angle Point 5;
thence N. 17°20' E., S.51 chs. dist. to Angle Point 6;
thence N. 39°04' E., 14.18 chs. dist. to Angle Point 7;
thence N. 12°39' E., 12.32 chs. dist. to Angle Point 8;
thence N. 24°03' E., 4.63 chs. dist. to Angle Point 9;
thence N. 20°50' W., 3.45 chs. dist. to Angle Point 10;
thence N. 19°32' E., 8.76 chs. dist. to Angle Point 11;
thence N. 11°04′ W., 2.36 chs. dist. to Angle Point 12;
thence N. 34°43' E., 6.98 chs. dist. to Angle Point 13;
thence N. 15°26' E., 12.02 chs. dist. to Angle Point 14;
thence N. 10°53' W., 7.61 chs. dist. to Angle Point 15;
thence N. 8°52' E.,
                     6.15 chs. dist. to Angle Point 16;
thence N. 29°09' E.,
                    14.48 chs. dist. to Angle Point 17, on the
      line bet. secs. 25 and 26;
thence N. 41°48' E., 3.03 chs. dist. to Angle Point 18;
thence N. 10°14' E., 8.83 chs. dist. to Angle Point 19;
thence N. 12°58' W., 1.65 chs. dist. to Angle Point 20;
thence N. 29°48' E., 1.55 chs. dist. to Angle Point 21;
thence N. 20°49' E., 2.20 chs. dist. to Angle Point 22;
thence N. 77"14' W., 5.33 chs. dist. to Angle Point 23;
```

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

```
CHAINS
        thence N.
                   2°56′ W.,
                               6.74 chs. dist. to Angle Point 24;
        thence S. 89°30' E.,
                               7.68 chs. dist. to Angle Point 25:
        thence S. 8°33' E..
                               6.04 chs. dist. to Angle Point 26;
        thence N. 47°58' E.,
                             15.34 chs. dist. to Angle Point 27;
        thence N. 49°32' E., 19.07 chs. dist. to Angle Point 28;
        thence N. 20°41' E.,
                            9.81 chs. dist. to Angle Point 29;
        thence N. 46°30' E.,
                            4.64 chs. dist. to Angle Point 30;
        thence N. 60°45' E., 8.30 chs. dist. to Angle Point 31;
        thence N. 70°11' E., 6.49 chs. dist. to Angle Point 32;
        thence N. 43°34' E., 5.64 chs. dist. to Angle Point 33;
        thence N. 63°01' E., 4.86 chs. dist. to Angle Point 34;
        thence N. 40°42' E., 2.98 chs. dist. to Angle Point 35;
        thence N. 74°40' E., 2.80 chs. dist. to Angle Point 36;
        thence N. 63°59' W., 3.79 chs. dist. to Angle Point 37;
        thence N. 75°04' W., 13.71 chs. dist. to Angle Point 38;
        thence N. 70°26' W., 16.08 chs. dist. to Angle Point 39;
                             8.58 chs. dist. to Angle Point 40:
        thence S. 82°11' W.,
        thence N. 72°14' W., 12.03 chs. dist. to Angle Point 41;
        thence N. 67°35' W., 16.21 chs. dist. to Angle Point 42,
               identical with the 1/4 sec. cor. of secs. 23 and 24:
        thence N. 89°58' W., 7.68 chs. dist. to Angle Point 43;
        thence N. 44°11' W., 11.40 chs. dist. to Angle Point 44;
        thence N. 47°31' W., 19.44 chs. dist. to Angle Point 45;
        thence S. 70°03' W., 9.14 chs. dist. to Angle Point 46;
        thence N. 75°24' W., 17.10 chs. dist. to Angle Point 47;
        thence N. 0°44' W., 21.27 chs. dist. to Angle Point 48;
        thence N. 79°24' W., 20.70 chs. dist. to Angle Point 49;
        thence N. 37°49' W., 3.70 chs. dist. to Angle Point 50;
        thence N. 1°22' E., 16.20 chs. dist. to Angle Point 51;
        thence N. 52°38' W.,
                             2.46 chs. dist. to Angle Point 52;
        thence N. 80°21' W., 28.23 chs. dist. to Angle Point 53;
                  9°33' W., 12.79 chs. dist. to Angle Point 54;
        thence N.
        thence N. 63°58' W., 13.28 chs. dist. to Angle Point 55;
        thence N. 32°36' W., 12.71 chs. dist. to Angle Point 56;
        thence N. 68°58' W., 25.10 chs. dist. to Angle Point 57;
        thence N. 32°46' W., 14.94 chs. dist. to Angle Point 58, on the
               Time bet. secs. 9 and 10;
        thence N. 58°35' W., 18.46 chs. dist. to Angle Point 59;
        thence N. 36°25' W., 24.54 chs. dist. to Angle Point 60;
        thence S. 87°21' W., 12.46 chs. dist. to Angle Point 61;
        thence N. 80°09' W., 19.75 chs. dist. to Angle Point 62;
        thence N. 71°01' W., 16.68 chs. dist. to Angle Point 63;
                               2.44 chs. dist. to Angle Point 64, on the
        thence S. 51°57' W.,
               line bet. secs. 8 and 9;
        thence N. 39"42' W., 3.02 chs, dist. to Angle Point 65;
                             4.72 chs. dist. to Angle Point 66;
        thence N. 11°53' W.,
        thence N. 6°39' W., 8.61 chs. dist. to Angle Point 67;
                            8.77 chs. dist. to Angle Point 68;
        thence N. 12°13' W.,
        thence S. 23°26' W., 3.75 chs. dist. to Angle Point 69;
        thence S. 31°44' W., 12.43 chs. dist. to Angle Point 70;
                  4°57′ W., 9.36 chs. dist. to Angle Point 71;
        thence S.
```

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	 		
		a =0.704 \/	44 04
			, 11.81 chs. dist. to Angle Point 72;
			, 13.61 chs. dist. to Angle Point 73;
			, 15.34 chs. dist. to Angle Point 74, on the
			os. 8 and 17;
			, 11.91 chs. dist. to Angle Point 75;
			, 15.96 chs. dist. to Angle Point 76;
			, 12.88 chs. dist. to Angle Point 77;
			, 3.15 chs. dist. to Angle Point 78;
			, 6.03 chs. dist. to Angle Point 79;
			. 4.88 chs. dist. to Angle Point 80;
			, 10.88 chs. dist. to Angle Point 81;
	thence :	S. 20°10'E.,	, 9.40 chs. dist. to Angle Point 82;
			, 14.64 chs. dist. to Angle Point 83;
			, 3.67 chs. dist. to Angle Point 84;
			, 3.66 chs. dist. to Angle Point 85;
			, 10.47 chs. dist. to Angle Point 86;
			, 11.25 chs. dist. to Angle Point 87;
	thence :	s. 43°11′ W.,	, 3.66 chs. dist. to Angle Point 88;
	thence S	s. 3°02′ W.,	, 3.41 chs. dist. to Angle Point 89;
	thence	N. 88°11′ E.,	, 3.03 chs. dist. to Angle Point 90;
	thence S	S. 17°35′ W.,	, 3.79 chs. dist. to Angle Point 91;
	thence :	S. 77°34′ W.,	, 14.36 chs. dist. to Angle Point 92;
			, 10.21 chs. dist. to Angle Point 93;
	thence I	N. 82°46′ E.,	, 8.84 chs. dist. to Angle Point 94;
			, 10.87 chs. dist. to Angle Point 95;
	thence !	N. 43°35′ E.,	, 5.13 chs. dist. to Angle Point 96;
			, 13.13 chs. dist. to Angle Point 97;
			, 12.14 chs. dist. to Angle Point 98;
			4.24 chs. dist. to Angle Point 99;
			, 9.58 chs. dist. to Angle Point 100;
			. 11.48 chs. dist. to Angle Point 101;
Ì			, 10.13 chs. dist. to Angle Point 102;
			, 4.67 chs. dist. to Angle Point 103;
			, 16.67 chs. dist. to Angle Point 104;
			. 11.54 chs. dist. to Angle Point 105;
		N. / 48 E., line bet. sec	, 11.89 chs. dist. to Angle Point 106, on the
			, 25.76 chs. dist. to Angle Point 107;
			, 14.94 chs. dist. to Angle Point 108;
			, 10.04 chs. dist. to Angle Point 109;
			, 12.21 chs. dist. to Angle Point 110;
			, 11.07 chs. dist. to Angle Point 111:
			, 10.33 chs. dist. to Angle Point 112,
			th the cor. of secs. 4, 5, 8 and 9;
	!	N. 89°51′ W.	
	5	secs. 5 and 8	•
			, 40.08 chs. dist. to the cor. of secs. 5, 6,
	1	7 and 8;	•
			, 40.00 chs. dist. to the 1/4 sec. cor. of
1	ì	secs. 6 and 1	· · · · · · · · · · · · · · · · · · ·
1			

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS								
	thence	N. 89°50′ 7 and 12,	W., 38.69 on the W.	ohs, dist. bdy, of the	to the Tp.	cor. of	secs.	1, 6,
								:
								<i>;</i>
		4						

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY			
Dominica Smith	Land Surveyor	-		
Steven R. Stokke	Land Surveyor			
Cheryl A. Baier	Surveying Technician			
Wallace R. Ott, Jr.	H II			
Timothy F. Patro	IF 15			
Mark R. Searles	IT 1!			
Clinton T. Lancaster	li 12			

I, Olian T. Shockley, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 21st day of October, 1993, I have dependently resurveyed a portion of the subdivisional lines and conducted a metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 2 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

January 06, 1997	Chan J. Shockley (Cadastral Surveyor)
(Date)	(Cadastral Surveyor)
	OFFITTE OF ABBROAR
	CERTIFICATE OF APPROVAL
	BUREAU OF LAND MANAGEMENT Arizona State Office Phoenix, Arizona
lines and a metes-and-bounds Boundary, in Township 3 Sout	the dependent resurvey of a portion of the subdivisional survey of the North Maricopa Mountains Wilderness Areah, Range 2 West, Gila and Salt River Meridian, Arizona, by, Cadastral Surveyor, having been critically examined y approved.
Z/18/97	Dale C. Willen
(Date)	(Acting Chief Cadastral Surveyor of Arizona)
	CERTIFICATE OF TRANSCRIPT
I CERTIFY that the foregoing surveys in T. 3 S., R. 2 W., the original field notes.	transcript of the field notes of the above-described Gila and Salt River Meridian, Arizona, is a true copy of
(Date)	(Acting Chief Cadastral Surveyor of Arizona)